

can-am®



MCGINTY *Tractors*

www.mcgintytractors.com



			HD9 available in UK only. 	HD9 available in UK only. 
		TRAXTER HD7 T	TRAXTER DPS HD9	TRAXTER MAX DPS HD9
COLOR OPTIONS		Compass Green	Compass Green	Compass Green
ENGINES	Type	HD7 52 hp (38.2 kW) / 57 Nm, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled, catalytic converter	HD9 65 hp (47.8 kW) / 80 Nm, Rotax® 976cc, V-twin, liquid cooled	HD9 65 hp (47.8 kW) / 80 Nm, Rotax® 976cc, V-twin, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P	PRO-TORQCVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	PRO-TORQCVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto-locking front differential
	Driving Assistance	Electronic Hill Descent Control ECO™ / ECO™ Off / Work modes Speed limiter	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter	CVT Engine Braking ECO™ / ECO™ Off / Work modes Speed Limiter
	Power Steering	N/A	Dynamic Power Steering (DPS)	Dynamic Power Steering (DPS)
SUSPENSIONS	Front Suspension	Double A-arm / 10 in. (25.4 cm) suspension travel	Double A-arm / 10 in. (25.4 cm) suspension travel	Double A-arm / 10 in. (25.4 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	TTA with external swaybar / 10 in. (25.4 cm) suspension travel	TTA with external swaybar / 10 in. (25.4 cm) suspension travel	TTA with external swaybar / 10 in. (25.4 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
TIRES / WHEELS	Front/Rear Tires	Maxxis Coronado 2.0† 27 x 9/11 x 14 in.	XPSTail Force 27 x 9/11 x 14 in.	XPSTail Force 27 x 9/11 x 14 in.
	Wheels	14 in. steel	14 in. cast-aluminum	14 in. cast-aluminum
BRAKES	Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers
	Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers	Dual 220 mm disc brakes with hydraulic single-piston calipers	Dual 220 mm disc brakes with hydraulic single-piston calipers
	Brake Holding Mechanism	Brake holding mechanism		
DIMENSIONS / CAPACITIES	Cage	Profiled cage. ROPS approved	Profiled cage. ROPS approved	Profiled cage. ROPS approved
	Estimated Dry Weight*	670 kg	701 kg	855 kg
	L x W x H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)	153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm)
	Wheelbase	83 in. (211.5 cm)	83 in. (211.5 cm)	115.5 in. (294 cm)
	Ground Clearance	11 in. (28 cm)	11 in. (28 cm)	11 in. (28 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
	Cargo Box Capacity	454 kg	454 kg	454 kg
	Tailgate Load Capacity	113.4 kg	113.4 kg	113.4 kg
	Storage Capacity	Total: 11.7 L	Total: 39.5 L	Total: 42.1 L
	Towing Capacity	1,134 kg	1,134 kg	1,134 kg
	Payload Capacity	680 kg	680 kg	771 kg
	Fuel Capacity	40 L	40 L	40 L
	Person Capacity	3	3	6
FEATURES	Gauge	7.6 in. wide digital display with keypad	4.5 in. wide digital display	4.5 in. wide digital display
	Battery	12-V (18 amp/h)	12-V (18 amp/h)	12-V (18 amp/h)
	Magneto	650-W	650-W	650-W
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)	DC outlet (10-A)
	Anti-theft System			
	Lighting	Front lighting output 110-W LED headlights and premium tail lights	Front lighting output 140-W LED headlights and tail lights	Front lighting output 140-W LED headlights and tail lights
	Winch			
	Seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, Underside hooks, adjustable driver seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
	Steering Wheel	Tilt steering adjustment	Adjustable tilt steering	Tilt steering adjustment
	Protection	Integrated front steel bumper HMWPE central skid plate	Integrated front steel bumper HMWPE central skid plate	Integrated front steel bumper HMWPE central skid plate
	Hitch Type	2 in. hitch receiver with rear hitch, tow ball and trailer connection	2 in. hitch receiver	2 in. hitch receiver

†Visco-Lok is a trademark of GKNViscodrive GmbH.
All above vehicles include a 2-year BRP limited warranty.

				
		TRAXTER XU HD7 T	TRAXTER XU HD10/HD11 T ABS	TRAXTER MAX XU HD11 T ABS
COLOR OPTIONS		Compass Green	Compass Green Stealth Black	Stealth Black
ENGINES	Type	HD7 52 hp (38.2 kW)/ 57 Nm, Rotax® ACE(Advanced Combustion Efficiency)650 cc single cylinder,liquid cooled, catalytic converter	HD10 80 hp (58.8 kW)/ 88.1 Nm, Rotax® ACE(Advanced Combustion Efficiency) 999 cc triple cylinder,liquid cooled,catalytic converter	HD11 95 hp (69.9 kW)/ 94.9 Nm, Rotax® ACE(Advanced Combustion Efficiency)999 cc triple cylinder,liquid cooled,catalytic converter
	Fuel Delivery System	Intelligent Throttle Control (ITC™)with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (ITC™)with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (ITC™)with Electronic Fuel Injection (EFI)
	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L/ H/ N/ R/ P	pDrive primary and Quick Response System (QRS)CVT with high airflow and Electronic Drive Belt Protection L/ H/ N/ R/ P	pDrive primary and Quick Response System (QRS)CVT with high airflow and Electronic Drive Belt Protection L/ H/ N/ R/ P
	Drive Train	Selectable Turf Mode / 2WD/ 4WD with Visco-Lok† auto-locking front differential	Selectable Turf Mode / 2WD/ 4WD with Open-4Lok front differential with ABS system	Selectable Turf Mode / 2WD/ 4WD with Open-4Lok front differential with ABS system
	Driving Assistance	Electronic Hill Descent Control ECO™/ Off/ Work modes Speed limiter	CVT Engine Braking Sport/ Normal/ Work modes Speed Limiter	CVT Engine Braking Sport/ Normal/ Work modes Speed Limiter
	Power Steering	Dynamic Power Steering (DPS)	High torque Tri-Mode Dynamic Power Steering (DPS™)	High torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	Front Suspension	Double A-arm/ 10 in.(25.4 cm)suspension travel	Arched Double A-Arm with swaybar / 12 in.(30.5 cm) suspension travel	Arched Double A-Arm with swaybar / 12 in.(30.5 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	TTA with external swaybar / 10 in.(25.4 cm)suspension travel	Arched Double A-Arm/ 12 in.(30.5 cm)suspension travel	Arched Double A-Arm/ 12 in.(30.5 cm)suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
TIRES / WHEELS	Front/Rear Tires	Maxxis Coronado 2.0† 27 x 9/11 x 14 in.	XPSTail King 2 29 x 9/11 x 14 in.	XPSTail King 2 29 x 9/11 x 14 in.
	Wheels	14 in.cast-aluminum	14 in.cast-aluminum	14 in.cast-aluminum
BRAKES	Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 262 mm disc brakes with hydraulic twin-piston calipers (32 mm)	Dual 262 mm disc brakes with hydraulic twin-piston calipers (32 mm)
	Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers	Dual 236 mm disc brakes with hydraulic single piston caliper (32 mm)	Dual 236 mm disc brakes with hydraulic twin-piston calipers (32 mm)
	Brake Holding Mechanism	Brake holding mechanism	Brake holding mechanism	Brake holding mechanism
DIMENSIONS/ CAPACITIES	Cage	Profiled cage. ROPS approved	Profiled cage. ROPS approved	Profiled cage. ROPS approved
	Estimated Dry Weight*	723 kg	858 kg	995 kg
	L x W x H	125.7 x 62 x 78 in. (319.4 x 157.5 x 198.1 cm)	122.7 x 65 x 81 in. (312 x 165 x 206 cm)	155.5 x 65 x 81.4 (395 x 165 x 207 cm)
	Wheelbase	83 in.(211.5 cm)	85 in.(216 cm)	117.5 in.(298 cm)
	Ground Clearance	11 in.(28 cm)	14 in.(35.6 cm)	14 in.(35.6 cm)
	Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	38 x 54.5 x 12 in.(96.5 x 138.4 x 30.5 cm)
	Cargo Box Capacity	454 kg	454 kg	454 kg
	Tailgate Load Capacity	113.4 kg	113.4 kg	113.4 kg
	Storage Capacity	Total:24.5 L	Weather resistant above gage glove box Weather resistant passenger glove box with USB-C,USB-A & DC outlet Cubbystorage and lower dash storage 14 L under seat removable bin	Weather resistant above gage glove box Weather resistant passenger glove box with USB-C,USB-A & DC outlet Cubbystorage and lower dash storage 14 L under seat removable bin
	Towing Capacity	1,134 kg	1,134 kg	1,134 kg
	Payload Capacity	680 kg	680 kg	659 kg
	Fuel Capacity	40 L	45 L	45 L
	Person Capacity	3	3	6
FEATURES	Gauge	7.6 in.wide digital display with keypad	5 in.color display	5 in.color display with keypad & 10.25 in.Wireless Touch display
	Battery	12-V(30 amp/h)	400 CCA(30 amp/h)	400 CCA(30 amp/h)
	Magneto	650-W	650-W	650-W
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)	USB outlet Lighter DC outlet
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™)with Start/ Stop button	RF Digitally Encoded Security System (D.E.S.S.™)with Start/ Stop button	RF Digitally Encoded Security System (D.E.S.S.™)with Start/ Stop button
	Lighting	Front lighting output 110-W LED headlights and premium tail lights	LED headlights LED tail lights with flashers LED signature	LED headlights LED tail lights with flashers LED signature
	Winch	2,041 kg winch with synthetic cable	2,041 kg winch with synthetic cable and autostop	2,041 kg winch with synthetic cable and autostop
	Seat	60/40 VERSA-PRO bench seat with passenger seats flipping up,underside hooks,reinforced seat skin,adjustable driver seat	Adjustable driver seat 60/40 Reinforced	Adjustable driver seat 60/40 Reinforced
	Steering Wheel	Tilt steering adjustment	Premium steering wheel with keypad space Adjustable steering wheel with full-tilt up feature	Premium steering wheel with keypad space Adjustable steering wheel with full-tilt up feature
	Protection	Integrated front steel bumper Full heavy-duty HMW plastic skid plate	Full heavy-duty HMW plastic skid plate Door safety net Lower front mudflap	Full heavy-duty HMW plastic skid plate Door safety net Lower front mudflap
	Hitch Type	2 in.hitch receiver with rear hitch,tow ball and trailer connection	2 in.hitch receiver with rear hitch,tow ball and trailer connection	2 in.hitch receiver with rear hitch,tow ball and trailer connection

†Visco-Lok is a trademark of GKNViscodrive GmbH.
All above vehicles include a 2-year BRP limited warranty.

				
		TRAXTER PROXU HD10 T ABS	TRAXTER6X6 XU HD10 T	TRAXTER XMRHD11
COLOR OPTIONS		Compass Green	Compass Green	Loft Green Satin
ENGINES	Type	HD10 82 hp (60.3 kW) / 93.6 Nm, Rotax® 976cc, V-twin, liquid cooled, catalytic converter	HD10 82 hp (60.3 kW) / 93.6 Nm, Rotax® 976cc, V-twin, liquid cooled, catalytic converter	HD11 95 hp (69.9 kW) / 94.9 Nm, Rotax® ACE (Advanced Combustion Efficiency) 999 cc triple cylinder, liquid cooled
	Fuel Delivery System	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)	Intelligent Throttle Control (ITC™) with Electronic Fuel Injection (EFI)
	Transmission	PRO-TORQCVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L/ H/ N/ R/ P	PRO-TORQCVT with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L/ H/ N/ R/ P	pDrive primary and Quick Response System X(QRS-X)CVT with high airflow, Strategically positioned CVT air intakes and exhaust. Lower gearing ratio and Electronic Drive Belt Protection Extra-L/ H/ N/ R/ P
	Drive Train	Selectable Turf Mode / 2WD / 4WD with open front differential with ABS system	Selectable 4WD / 6WD auto-Locking front differential	Turf Mode and lockable front differential with exclusive Smart-Lok technology. True 4 modes traction system: 2WD / 4WD with front diff. lock / 4WD MUD / 4WD TRAIL
	Driving Assistance	Electronic Hill Descent Control ECO™/ ECO™ Off/ Work modes Speed limiter	CVT Engine Braking ECO™/ ECO™ Off/ Work modes Speed Limiter	CVT Engine Braking ECO™/ ECO™ Off/ Work modes Speed Limiter
	Power Steering	Dynamic Power Steering (DPS)	Dynamic Power Steering (DPS)	Dynamic Power Steering (DPS)
SUSPENSIONS	Front Suspension	Arched double A-arm / 11 in. (27.9 cm) suspension travel	Arched double A-arm / 11 in. (27.9 cm) suspension travel	Arched Double A-Arm with swaybar / 12 in. (30.5 cm) suspension travel
	Front Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
	Rear Suspension	Arched TTA with external swaybar / 11 in. (27.9 cm) suspension travel	Arched TTA with external swaybar / 11 in. (27.9 cm) suspension travel	Arched Double A-Arm / 12 in. (30.5 cm) suspension travel
	Rear Shocks	Twin tube gas charged shocks	Twin tube gas charged shocks	Twin tube gas charged shocks
TIRES / WHEELS	Front/Rear Tires	Maxxis Coronado 2.0† 27 x 9/11 x 14 in.	XPSTail King 27 x 9/11 x 14 in.	XPSSwamp Force 30 x 9/11 x 14 in.
	Wheels	14 in. cast-aluminum	14 in. cast-aluminum	14 in. cast-aluminum
BRAKES	Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 262 mm disc brakes with hydraulic twin-piston calipers (32 mm)
	Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 220 mm disc brakes with hydraulic twin-piston calipers	Dual 236 mm disc brakes with hydraulic single piston caliper (32 mm)
	Brake Holding Mechanism	Brake holding mechanism	Brake holding mechanism	Brake holding mechanism
DIMENSIONS/ CAPACITIES	Cage	Profiled cage. ROPS approved	Profiled cage. ROPS approved	Profiled cage. ROPS approved
	Estimated Dry Weight*	943 kg	987 kg	885 kg
	L x W x H	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)	131.7 x 65 x 79.8 in. (335 x 165 x 203 cm)
	Wheelbase	115.5 in. (294 cm)	115.5 in. (294 cm)	85 in. (216 cm)
	Ground Clearance	12.5 in. (32 cm)	13 in. (33 cm)	15 in. (38.1 cm)
	Cargo Box Dimensions	72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)	72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
	Cargo Box Capacity	544 kg	544 kg	226 kg
	Tailgate Load Capacity	113.4 kg	113.4 kg	113.4 kg
	Storage Capacity	Total: 356 L	Total: 39.5 L	Weather resistant above gage glove box including protected cell phone area and USB-A plug Weather resistant passenger glove box with USB-C, USB-A & DC outlet Cubby storage and lower dash storage
	Towing Capacity	1,134 kg	1480.8 kg	1,134 kg
	Payload Capacity	716 kg	672 kg	680 kg
	Fuel Capacity	40 L	40 L	45 L
	Person Capacity	3	3	3
FEATURES	Gauge	7.6 in. wide digital display with keypad	7.6 in. display with keypad	5 in. color display with keypad & 10.25 in. Wireless Touch display
	Battery	12-V (30 amp/h)	12-V (30 amp/h)	400 CCA (32 amp/h)
	Magneto	650-W	650-W	650-W
	Instrumentation	DC outlet (10-A)	DC outlet (10-A)	USB outlets Lighter DC outlet Cargo 12V outlet
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button		RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
	Lighting	Front lighting output 110-W LED headlights and premium tail lights	Front lighting output 110-W LED headlights and premium tail lights	LED headlights LED tail lights with back up light LED signature
	Winch	2,041 kg winch with synthetic cable	2,041 kg winch with synthetic cable	Relocated 2,041 kg winch with synthetic cable and autostop
	Seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, underside hooks, reinforced seat skin, adjustable driver seat	60/40 VERSA-PRO bench seat with passenger seats flipping up, underside hooks, reinforced seat skin, adjustable driver seat	Adjustable driver seat 40/20/40 Bolster
	Steering Wheel	Tilt steering adjustment	Tilt steering adjustment	Premium steering wheel with keypad space Tilt steering adjustment
	Protection	Integrated front steel bumper Full heavy-duty HMW plastic skid plate Front fender extension	Integrated front steel bumper HMWPE central skid plate Wide mudguard	Full heavy-duty HMW plastic skid plate MUD front bumper Steel rock sliders Wide mudguards Door safetynet Front anchor
	Hitch Type	2 in. hitch receiver with rear hitch, tow ball and trailer connection	2 in. hitch receiver with rear hitch, tow ball and trailer connection	2 in. hitch receiver

†Visco-Lok is a trademark of GKNViscodrive GmbH.
All above vehicles include a 2-year BRP limited warranty.



Adventure

Cabin Components	Deluxe Sport Roof
	Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit
	Rear Polycarbonate Window
	Side mirrors*
Protections	Front Bumper*
	Rear Bumper
	Rock Sliders
Cargo & Storage	Cargo Rack Multi-position
	LinQ 3.7 US Gal (14.5L) Fuel Caddy
	LinQ Rigid Cooler 4.7 US Gal (18L)
	LinQ Lite Device Holder
Winches & Recovery	Can-Am HD 4500-S Winch*
	Can-Am Winch Accessory Kit
	Can-Am Retractable Rope System
Lights	SMART 40" (102 cm) LED Light Bar

*May already be included in certain vehicle models

**Some accessories require additional installation hardware

***To complete the package we recommend the installation of Aluminum Skid Plate Protection Kit

Utility

Cabin Components	Deluxe Sport Roof
	Flip Glass Windshield with SMART Intermittent Wiper & Washer Kit
	Rear Polycarbonate Window
	Side mirrors*
Protections	Front Bumper*
	Rear Bumper
	Heavy Duty Seat Covers
Cargo & Storage	Headache Rack
	LinQ Cargo Bed Box
	LinQ Chainsaw Holder
	LinQ Tailgate Extension
Winches & Recovery	Can-Am HD 4500-S Winch*
	Can-Am HD Winch Auto-Stop - SXS
	SMART LED Hood Light
Lights	SMART Rear LED Light

*May already be included in certain vehicle models

**Some accessories require additional installation hardware

Farming

Cabin Components	Clear Rigid Cab
	SMART Intermittent Wiper & Washer Kit
	Front Roof Liner
	Rear Roof Liner
Protections	Side mirrors* or Mirrors Adaptors
	Front Bumper*
	Rear Bumper
Cargo & Storage	Heavy Duty Seat Covers
	Headache Rack
	Bed Wall Extender - High (for Headache Rack)
	LinQ Tool Holder
Winches & Recovery	Power Tilt Bed
	Can-Am HD 4500-S Winch*
	Wireless Winch Remote
Lights	SMART 10" (25 cm) LED Light Bar
	SMART Rear LED Light

*May already be included in certain vehicle models

**Some accessories require additional installation hardware



Hunting

Cabin Components	Deluxe Cab Enclosure
	Front and Rear Door Trims
	Side mirrors*
Protections	Front Bumper*
	Rear Bumper
	Rock Sliders
Cargo & Storage	Headache Rack
	Cargo Rack Multi-position
	LinQ Gun Case
	LinQ Gun Case Mounting Kit
Winches & Recovery	Can-Am HD 4500-S Winch*
	Wireless Winch Remote
	Cargo Bed Winch
Lights	SMART 15" (38 cm) LED Light Bar

*May already be included in certain vehicle models

**Some accessories require additional installation hardware

***To complete the package we recommend the installation of Aluminum Skid Plate Protection Kit



Winter

Cabin Components	Deluxe Cab Enclosure
	Front and Rear Door Trims
	Side mirrors*
Protections	Front Bumper*
	Rear Bumper
	Rock Sliders
Cargo & Storage	Deluxe Headache Rack
	LinQ Tool Holder
	LinQ Lite Device Holder
Winches & Recovery	Can-Am HD 4500-S Winch*
	Can-Am HD Winch Auto-Stop - SXS
	Can-Am Winch Accessory Kit
Lights	SMART 10" (25 cm) LED Light Bar
	SMART Rear LED Light
Winter Accessories	Apache XC LT Track Kit
	Apache XCLT Track Kit Mounting Kit
	Can-Am ProMount Steel 72" (183 cm) Blade Plow Kit
	Can-Am ProMount Push Frame Extension

*May already be included in certain vehicle models

**Some accessories require additional installation hardware

***To complete the package we recommend the installation of Aluminum Skid Plate Protection Kit and Heated Accessories

